THE INSTITUTION
OF ELECTRICAL
ENGINEERS
IEE

IEE PROCEEDINGS-G

Electronic Circuits and Systems

Vol. 131, 1984

Published by
The IEE, Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

IEE Proceedings Part G

Electronic Circuits and Systems

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 131 1984 UK ISSN 0143–7089

HONORARY EDITORS

Dr. D.G. Haigh (*Imperial College, London*)
M.J. Withers (*ERA Technology Ltd., Surrey*)

Pages in issues of *IEE Proceedings Part G*, 1984

Pages	Issue no.	Date
1–36	1	February
37–92	2	April
93–136	3	June
137–176	4	August
177–220	5	October
221–260	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7089/84 $2.00 + 0.00. This content does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1984: The Institution of Electrical Engineers:

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Assistant Editor:* Steve Barrett
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts.
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

Index

IEE Proceedings Part G
Electronic Circuits and Systems
Vol. 131, 1984

ABBREVIATIONS

- **p** paper, address or lecture
- **d** discussion on a paper
- **a** abstract of paper or address
- **e** errata
- **s** synopsis of a paper published in full in another Part of the IEE Proceesings

Author index

A

Abuelma'atti, M.T. Improved analysis of the harmonic and intermodulation performance of operational amplifiers p226
Acha, J.I., Payán-Somet, J., and Civit, A. Design of very-low-frequency digital oscillators p93
Ahmad, M.O., Ahmadi, M., and Ramachandran, V. Transfer-function realisation of a class of doubly terminated two-variable lossless networks and their application in two-dimensional analogue and digital filter design p67
Ahmadi, M., Ahmad, M.O., and Ramachandran, V. see Ahmad, M.O.
Ahmadi, M., and Ramachandran, V. New method for generating two-variable VSHPs and its application in the design of two-dimensional recursive digital filters with prescribed magnitude and constant group delay responses p151
Al-Qirimli, F.A.M., Allos, J.E., and Mahmood, M.K. see Allos, J.E.
Allen, C.R., and Yung, H.C. see Yung, H.C.
Allos, J.E., Mahmood, M.K., and Al-Qirimli, F.A.M. Transient response of the modified variable-phase-shift automatic voltage regulator p10
Ananda Mohan, P.V., Ramachandran, V., and Swamy, M.N.S. New general biquadratic active *RC* and switched-capacitor filters p51

B

Banu, M., and Tsividis, Y. Detailed analysis of nonidealities in MOS fully integrated active *RC* filters based on balanced networks p190
Barker, R.W.J., and Hart, B.L. Low-voltage rail-supply-insensitive PTAT current generator p242
Bhattacharyya, B.B., and Lopes, P.B. see Lopes, P.B.
Bhattacharyya, B.B., and Raut, R. see Raut, R.
Bolton, A.G. Analogue-to-digital transform to preserve the frequency-magnitude characteristics of all-pole filters p131
Borys, A. Nonlinear sensitivity in a single-loop feedback circuit p35
Brugger, U.W., and Moschytz, G.S. see Moschytz, G.S.
Bruton, L.T., and Strecker, T.E. Two-dimensional discrete filters using spatial integrators e271
Bundalo, Z.V., and Dokić, B.L. see Dokić, B.L.

C

Ching, P.C., and Goodyear, C.C. Walsh-transform coding of the speech residual in RELP coders p29
Civit, A., Acha, J.I., and Payán-Somet, J. see Acha, J.I.
Constantinides, A.G., and Siu, W.C. see Siu, W.C.
Cutteridge, O.P.D., and Zhang, Y.S. Computer-aided linear modelling of high-frequency bipolar transistors p252

D

Damgov, V.N. Injection-locked self-oscillating system as a one-port with controlled parameters p1
Damgov, V.N. Nonlinear resonance and parametric phenomena in a complicated oscillating circuit p24
Davies, A.C., and Odintsov, B.V. see Odintsov, B.V.
Dokić, B.L. CMOS Schmitt triggers p197
Dokić, B.L., and Bundalo, Z.V. Stability analysis of *RC* oscillator using CMOS transistors p127
Drake, J.M., and Gregorio, J.A. see Gregorio, J.A.

F

Filanovsky, I.M., Piskarev, V.A., and Stromsmoe, K.A. Nonsymmetric multivibrators with an auxiliary *RC*-circuit p141

G

Garba, A.I., and Mouftah, H.T. see Mouftah, H.T.
Goodyear, C.C., and Ching, P.C. see Ching, P.C.
Gregorio, J.A., and Drake, J.M. Frequency response of *RC*-active circuits using Norton amplifiers with highly asymmetrical slew rates p237

H

Hart, B.L., and Barker, R.W.J. see Barker, R.W.J.
Hinton, O.R., and Saleh, R.A. Two-dimensional discrete Fourier transform with small multiplicative complexity using number theoretic transforms p234
Huertas, J.L., Rodriguez-Vazquez, A., and Perez-Verdu, B. High-frequency design of sinusoidal oscillators realised with operational amplifiers p137

J

Jain, N.K., and Singhal, K. Efficient computation and minimisation of root sensitivities of analogue and digital networks p245

K

Kayran, A.H., Lim, Y.C., and Parker, S.R. Decimation technique for optimal data transfer in one- and two-dimensional FIR digital-filter implementations p86

L

Lawson, S.S., and Terplan, S. High-speed single-board flexible hardware implementation of a wave digital filter p17
Lim, Y.C., Kayran, A.H., and Parker, S.R. see Kayran, A.H.
Lopes, P.B., and Bhattacharyya, B.B. Classification, generation and evaluation of actively compensated noninverting finite-gain amplifiers p177
Luque, E., and Ripoll, A. Approach for register allocation in microprogram generation p99

M

Mahmood, M.K., Allos, J.E., and Al-Qirimli, F.A.M. see Allos, J.E.
Marinčić, A.S., and Temerinac, M.R. see Temerinac, M.R.
Miller, B.D., and Nguyen, D.T. see Nguyen, D.T.
Mišić, V.B., and Popovich, M.V. see Popovich, M.V.
Moschytz, G.S., and Brugger, U.W. Signal-flow graph analysis of SC networks p72
Mouftah, H.T., and Garba, A.I. VLSI implementation of a 5-trit full adder p214
Mulawka, J.J., and Pakulak, A. Switched-capacitor implementations of phase-locked loops p221

N

Nguyen, D.T., and Miller, B.D. State-space noise calculation for single-operational-amplifier *RC* filters p114

O

Odintsov, B.V., and Davies, A.C. Electrical network analogue for determining the optimal flows in multiterminal communication networks p171

P

Pakulak, A., and Mulawka, J.J. see Mulawka, J.J.
Parker, S.R., Kayran, A.H., and Lim, Y.C. see Kayran, A.H.
Pavlović, V.D. Direct synthesis of filter transfer functions p156
Payán-Somet, J., Acha, J.I., and Civit, A. see Acha, J.I.
Perez-Verdu, B., Huertas, J.L., and Rodriguez-Vazquez, A. see Huertas, J.L.
Piskarev, V.A., Filanovsky, I.M., and Stromsmoe, K.A. see Filanovsky, I.M.
Popovich, M.V., and Mišić, V.B. Comparison of GIC-based active-*RC* allpass biquads p209

R

Ramachandran, V., Ahmad, M.O., and Ahmadi, M. see Ahmad, M.O.
Ramachandran, V., Ananda Mohan, P.V., and Swamy, M.N.S. see Ananda Mohan, P.V.
Ramachandran, V., and Ahmadi, M. see Ahmadi, M.
Raut, R., and Bhattacharyya, B.B. Designs of parasitic tolerant switched-capacitor filters using unity-gain buffers p103
Ripoll, A., and Luque, E. see Luque, E.
Rodriguez-Vazquez, A., Huertas, J.L., and Perez-Verdu, B. see Huertas, J.L.
Rutkowski, J. Heuristic network partitioning algorithm using the concept of loop index p203

S

Saleh, R.A., and Hinton, O.R. see Hinton, O.R.
Saramäki, T. Computationally efficient circularly symmetric two-dimensional FIR filters p46
Singer, S. Power conversion and control with zero AC current harmonics by means of a time-variable transformer p147
Singhal, K., and Jain, N.K. see Jain, N.K.
Siu, W.C., and Constantinides, A.G. Cyclic convolution of long sequences using number theoretic transform p119
Stevenson, J.K. Design procedure for high-stability four-crystal single-sideband lattice filters with equiripple or maximally flat passbands and double attenuation poles at finite frequencies p37
Strecker, T.E., and Bruton, L.T. see Bruton, L.T.
Stromsmoe, K.A., Filanovsky, I.M., and Piskarev, V.A. see Filanovsky, I.M.
Swamy, M.N.S., Ananda Mohan, P.V., and Ramachandran, V. see Ananda Mohan, P.V.

T

Temerinac, M.R., and Marinčić, A.S. Phase modulator with low nonlinear distortion p161
Terplan, S., and Lawson, S.S. see Lawson, S.S.
Tsividis, Y., and Banu, M. see Banu, M.

Y

Yung, H.C., and Allen, C.R. Part 1: VLSI implementation of an optimised hierarchical multiplier p56
Yung, H.C., and Allen, C.R. Part 2: An optimising analysis of hierarchical multipliers for VLSI p61

Z

Zhang, Y.S., and Cutteridge, O.P.D. see Cutteridge, O.P.D.

Subject index

ACTIVE NETWORKS

Classification, generation and evaluation of actively compensated noninverting finite-gain amplifiers. P.B. Lopes and B.B. Bhattacharyya p177
Nonlinear sensitivity in a single-loop feedback circuit. A. Borys p35

ALGORITHMS

Heuristic network partitioning algorithm using the concept of loop index. J. Rutkowski p203

AMPLIFIERS

Classification, generation and evaluation of actively compensated noninverting finite-gain amplifiers. P.B. Lopes and B.B. Bhattacharyya p177
Comparison of GIC-based active-*RC* allpass biquads. M.V. Popovich and V.B. Mišić p209
Frequency response of *RC*-active circuits using Norton amplifiers with highly asymmetrical slew rates. J.A. Gregorio and J.M. Drake p237
High-frequency design of sinusoidal oscillators realised with operational amplifiers. J.L. Huertas, A. Rodriguez-Vazquez and B. Perez-Verdu p137
Improved analysis of the harmonic and intermodulation performance of operational amplifiers. M.T. Abuelma'atti p226

ANALOGUE COMPUTERS AND COMPUTATION

Electrical network analogue for determining the optimal flows in multiterminal communication networks. B.V. Odintsov and A.C. Davies p171

ANALOGUE-DIGITAL CONVERSION

Analogue-to-digital transform to preserve the frequency-magnitude characteristics of all-pole filters. A.G. Bolton p131

BIPOLAR TRANSISTORS

Computer-aided linear modelling of high-frequency bipolar transistors. O.P.D. Cutteridge and Y.S. Zhang p252

CIRCUIT THEORY AND DESIGN

CMOS Schmitt triggers. B.L. Dokić p197
Comparison of GIC-based active-*RC* allpass biquads. M.V. Popovich and V.B. Mišić p209
Frequency response of *RC*-active circuits using Norton amplifiers with highly asymmetrical slew rates. J.A. Gregorio and J.M. Drake p237
Low-voltage rail-supply-insensitive PTAT current generator. R.W.J. Barker and B.L. Hart p242
Nonsymmetric multivibrators with an auxiliary *RC*-circuit. I.M. Filanovsky, V.A. Piskarev and K.A. Stromsmoe p141
Stability analysis of *RC* oscillator using CMOS transistors. B.L. Dokić and Z.V. Bundalo p127

CODES AND DECODING

Walsh-transform coding of the speech residual in RELP coders. P.C. Ching and C.C. Goodyear p29

COMPUTER SIMULATION

Computer-aided linear modelling of high-frequency bipolar transistors. O.P.D. Cutteridge and Y.S. Zhang p252

COMPUTER-AIDED DESIGN

High-speed single-board flexible hardware implementation of a wave digital filter. S.S. Lawson and S. Terplan p17

CONTROL EQUIPMENT AND APPLICATIONS

Power conversion and control with zero AC current harmonics by means of a time-variable transformer. S. Singer p147

DIGITAL COMPUTERS AND COMPUTATION

Approach for register allocation in microprogram generation. E. Luque and A. Ripoll p99

DIGITAL INSTRUMENTATION

Design of very-low-frequency digital oscillators. J.I. Acha, J. Payán-Somet and A. Civit p93

ELECTRONIC CIRCUITS

Comparison of GIC-based active-*RC* allpass biquads. M.V. Popovich and V.B. Mišić p209
High-frequency design of sinusoidal oscillators realised with operational amplifiers. J.L. Huertas, A. Rodriguez-Vazquez and B. Perez-Verdu p137
Improved analysis of the harmonic and intermodulation performance of operational amplifiers. M.T. Abuelma'atti p226
Switched-capacitor implementations of phase-locked loops. J.J. Mulawka and A. Pakulak p221

FILTERS AND FILTERING

Analogue-to-digital transform to preserve the frequency-magnitude characteristics of all-pole filters. A.G. Bolton p131
Classification, generation and evaluation of actively compensated noninverting finite-gain amplifiers. P.B. Lopes and B.B. Bhattacharyya p177
Computationally efficient circularly symmetric two-dimensional FIR filters. T. Saramäki p46
Decimation technique for optimal data transfer in one- and two-dimensional FIR digital-filter implementations. A.H. Kayran, Y.C. Lim and S.R. Parker p86
Design procedure for high-stability four-crystal single-sideband lattice filters with equiripple or maximally flat passbands and double attenuation poles at finite frequencies. J.K. Stevenson p37
Designs of parasitic tolerant switched-capacitor filters using unity-gain buffers. R. Raut and B.B. Bhattacharyya p103
Detailed analysis of nonidealities in MOS fully integrated active *RC* filters based on balanced networks. M. Banu and Y. Tsividis p190
Direct synthesis of filter transfer functions. V.D. Pavlović p156
High-speed single-board flexible hardware implementation of a wave digital filter. S.S. Lawson and S. Terplan p17
New general biquadratic active *RC* and switched-capacitor filters. P.V. Ananda Mohan, V. Ramachandran and M.N.S. Swamy p51
New method for generating two-variable VSHPs and its application in the design of two-dimensional recursive digital filters with prescribed magnitude and constant group delay responses. M. Ahmadi and V. Ramachandran p151
State-space noise calculation for single-operational-amplifier *RC* filters. D.T. Nguyen and B.D. Miller p114
Transfer-function realisation of a class of doubly terminated two-variable lossless networks and their application in two-dimensional analogue and digital filter design. M.O. Ahmad, M. Ahmadi and V. Ramachandran p67
Two-dimensional discrete filters using spatial integrators. L.T. Bruton and T.E. Strecker e271

INTEGRATED CIRCUITS

CMOS Schmitt triggers. B.L. Dokić p197
Stability analysis of *RC* oscillator using CMOS transistors. B.L. Dokić and Z.V. Bundalo p127
VLSI implementation of a 5-trit full adder. H.T. Mouftah and A.I. Garba p214

LOGIC

VLSI implementation of a 5-trit full adder. H.T. Mouftah and A.I. Garba p214

MATHEMATICAL TECHNIQUES

Improved analysis of the harmonic and intermodulation performance of operational amplifiers. M.T. Abuelma'atti p226
Two-dimensional discrete Fourier transform with small multiplicative complexity using number theoretic transforms. O.R. Hinton and R.A. Saleh p234

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

CMOS Schmitt triggers. B.L. Dokić p197

MODELLING

Computer-aided linear modelling of high-frequency bipolar transistors. O.P.D. Cutteridge and Y.S. Zhang p252

MODULATION

Phase modulator with low nonlinear distortion. M.R. Temerinac and A.S. Marinčić p161

NETWORKS

Efficient computation and minimisation of root sensitivities of analogue and digital networks. N.K. Jain and K. Singhal p245
Electrical network analogue for determining the optimal flows in multiterminal communication networks. B.V. Odintsov and A.C. Davies p171
Heuristic network partitioning algorithm using the concept of loop index. J. Rutkowski p203
Signal-flow graph analysis of SC networks. G.S. Moschytz and U.W. Brugger p72
Transfer-function realisation of a class of doubly terminated two-variable lossless networks and their application in two-dimensional analogue and digital filter design. M.O. Ahmad, M. Ahmadi and V. Ramachandran p67

NOISE AND INTERFERENCE

State-space noise calculation for single-operational-amplifier *RC* filters. D.T. Nguyen and B.D. Miller p114

OSCILLATORS

Design of very-low-frequency digital oscillators. J.I. Acha, J. Payán-Somet and A. Civit p93
High-frequency design of sinusoidal oscillators realised with operational amplifiers. J.L. Huertas, A. Rodriguez-Vazquez and B. Perez-Verdu p137
Injection-locked self-oscillating system as a one-port with controlled parameters. V.N. Damgov p1
Nonlinear resonance and parametric phenomena in a complicated oscillating circuit. V.N. Damgov p24
Stability analysis of *RC* oscillator using CMOS transistors. B.L. Dokić and Z.V. Bundalo p127

POWER CONVERSION

Power conversion and control with zero AC current harmonics by means of a time-variable transformer. S. Singer p147

SIGNAL PROCESSING

Cyclic convolution of long sequences using number theoretic transform. W.C. Siu and A.G. Constantinides p119

TELECOMMUNICATION

Electrical network analogue for determining the optimal flows in multiterminal communication networks. B.V. Odintsov and A.C. Davies p171

TRANSFORMERS

Power conversion and control with zero AC current harmonics by means of a time-variable transformer. S. Singer p147

TRANSISTORS

Detailed analysis of nonidealities in MOS fully integrated active *RC* filters based on balanced networks. M. Banu and Y. Tsividis p190

VERY LARGE SCALE INTEGRATION

Part 1: VLSI implementation of an optimised hierarchical multiplier. H.C. Yung and C.R. Allen p56

Part 2: An optimising analysis of hierarchical multipliers for VLSI. H.C. Yung and C.R. Allen p61

VOLTAGE REGULATORS

Transient response of the modified variable-phase-shift automatic voltage regulator. J.E. Allos, M.K. Mahmood and F.A.M. Al-Qirimli p10

Book reviews

Broadband feedback amplifiers: D.J.H. Maclean p90

Design of high-performance negative-feedback amplifiers: E.H. Nordholt p90

Digital bipolar integrated circuits: M.I. Elmasry p135

Digital filters: R.W. Hamming p134

Illustrated guideback to electronic devices and circuits: F.W. Hughes p91

Lock-in amplifiers: Principles and applications: M.L. Meade p134

Semiconductor devices and circuits H. Zanger p260